


State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES

6 Hazen Drive, P.O. Box 95, Concord, NH 03302-0095

(603) 271-2900 FAX (603) 271-2456



July 16, 2004

Celestica
9 Northeastern Boulevard
Salem, New Hampshire 03079

**LETTER OF COMPLIANCE
FOR
LETTER OF DEFICIENCY
No. WMD 04-07**

Attn: Mr. Norman Boisse, Quality Systems Manager

**Re: Celestica
Salem, New Hampshire
EPA ID # NHD510172174**

Dear Mr. Boisse:

On March 23, 2004, the Department of Environmental Services, Waste Management Division ("DES") conducted an inspection of Celestica in Salem, NH. The purpose of the inspection was to determine Celestica's compliance status relative to RSA Ch. 147-A and the New Hampshire Hazardous Waste Rules, Env-Wm 100-1100.

As a result of the inspection, Celestica was issued Letter of Deficiency No. WMD 04-07 (the "LoD"). Based upon a review of Celestica's submittal received June 15, 2004, DES has determined that your facility has corrected the deficiencies identified in the LoD.

Please be advised that DES will continue to monitor Celestica's compliance status through record reviews and on-site inspections.

If you have any questions regarding this letter, please contact the lead inspector, Robert Bishop or me at (603) 271-2942. Thank you for your cooperation.

Sincerely,

JCOPY

John J. Duclos, Supervisor
Hazardous Waste Compliance Section
Waste Management Division

cc: RCRA/DB/Compliance/ARCHIVE
Anthony P. Giunta, P.G., Director, Waste Management Division
Gretchen R. Hamel, Esq., DES Administrator, Legal Unit

e-mail: JJD/SN/SD/PM